

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
2. The application has been amended as follows:

At the beginning of page 1 of the specification after the Title, insert:

"Cross-reference to Related Applications

This application is a U.S. National Stage Application of International Application PCT/JP04/11257 filed August 5, 2004, which is published as WO 2005/044737 on May 19, 2005, the disclosure of which is expressly incorporated by reference herein in its entirety."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Perrin, Ph.D. whose telephone number is (571)272-1305. The examiner can normally be reached on M-F 8:00-4:30.
4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael E. Barr can be reached on (571)272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1792

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Joseph L. Perrin/
Joseph L. Perrin, Ph.D.
Primary Examiner
Art Unit 1792

JLP